



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
<http://www.cctestinglabs.com>
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240514-001
1 of 3

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

BATCH RESULT: PASS

SAMPLE: WATERMELON
(INFUSED PRE-ROLL)

CLIENT: GENUINE

COMPLETED: JUL 02, 2025



METRC SAMPLE: N/A / METRC BATCH: N/A

WATERMELON

MATRIX: INFUSED FLOWER/INFUSED PRE-ROLL
CATEGORY: INHALABLE
SAMPLE ID: CTL-240514-001
COLLECTED ON: JUN 30, 2025
RECEIVED ON: JUN 30, 2025
SAMPLE SIZE: 1 UNITS
PACKAGE SIZE: 3.6 G

CANNABINOID OVERVIEW

TOTAL THC:	46.596 %
TOTAL CBD:	7.885 %
TOTAL CANNABINOIDS:	55.156 %
SUM OF CANNABINOIDS:	62.201 %

BATCH RESULT: PASS



CANNABINOIDS BY HPLC: CCTL-PM-002, SOP-011 // JUL 01, 2025

ANALYTE	LIMIT (mg)	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT (mg)	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL
CBC		0.055	0.55	0.2455/0.4911	N/A	THCA		52.557	525.57	0.2455/0.4911	N/A
CBD		3.950	39.50	0.2455/0.4911	N/A	THCV		ND	ND	0.2455/0.4911	N/A
CBDA		4.487	44.87	0.2455/0.4911	N/A	TOTAL		46.596	465.96		N/A
CBDV		0.345	3.45	0.2455/0.4911	N/A	THC**					N/A
CBG		0.068	0.68	0.2455/0.4911	N/A	TOTAL		7.885	78.85		N/A
CBGA		0.235	2.35	0.2455/0.4911	N/A	CBD**					N/A
CBN		< LOQ	< LOQ	0.2455/0.4911	N/A	CBD/PKG		142.200			N/A
Δ^8 -THC		0.306	3.06	0.2455/0.4911	N/A			mg			
Δ^9 -THC		0.198	1.98	0.2455/0.4911	N/A	Δ^9 -THC/PKG	1100	7.128 mg			PASS
						TOTAL		1677.456			N/A
						THC/PKG**		mg			



James W. Cox

James W. Cox
Laboratory Director
Jul 02, 2025

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
<http://www.cctestinglabs.com>
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240514-001
2 of 3

**TOTAL
CBD/PKG****

**283.860
mg**

N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN



James W. Cox

James W. Cox
Laboratory Director
Jul 02, 2025

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
<http://www.cctestinglabs.com>
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240514-001
3 of 3

MOISTURE CONTENT: SOP-009 // MAY 14, 2024

ANALYTE	LIMIT ()	AMT (%)	PASS/FAIL
MOISTURE		9.900	N/A

ACCREDITATIONS



IAS ACCREDITED

CANNABINOIDS BY HPLC: CCTL-PM-002, SOP-011
CBC, CBD, CBDA, CBDV, CBG, CBGA, CBN, DELTA-8-THC, DELTA-9-THC, THC: CBD RATIO, THCA, THCV, TOTAL CBD, TOTAL THC

MOISTURE CONTENT: SOP-009
MOISTURE

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.



James W. Cox

James W. Cox
Laboratory Director
Jul 02, 2025

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.