



CC Testing Labs, Inc.  
18417 Bryant St  
Northridge, CA 91325

818-797-1500  
http://www.cctestinglabs.com  
LIC# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240627-016  
1 of 2

## CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

### BATCH RESULT: PASS

SAMPLE: RAINBOW RUNTZ HEMP  
(PRE-ROLL)

CLIENT: GENUINE

COMPLETED: JUL 01, 2025



METRC SAMPLE: N/A / METRC BATCH: N/A

#### RAINBOW RUNTZ HEMP

MATRIX: PRE-ROLL  
CATEGORY: INHALABLE  
SAMPLE ID: CTL-240627-016  
COLLECTED ON: JUN 29, 2025  
RECEIVED ON: JUN 29, 2025  
SAMPLE SIZE: 2 G

#### CANNABINOID OVERVIEW

TOTAL THC:	51.664 %
TOTAL CBD:	0.045 %
TOTAL CANNABINOIDS:	51.731 %
SUM OF CANNABINOIDS:	58.962 %

#### BATCH RESULT: PASS



#### CANNABINOIDS BY HPLC: CCTL-PM-002, SOP-011 // JUN 30, 2025

ANALYTE	LIMIT (mg)	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT (mg)	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.0563/0.1705	N/A	Δ <sup>9</sup> -THC		0.132	1.32	0.0407/0.1234	N/A
CBD		< LOQ	< LOQ	0.0585/0.1772	N/A	THCA		58.736	587.36	0.0428/0.1298	N/A
CBDA		0.051	0.51	0.0363/0.1101	N/A	THCV		ND	ND	0.0833/0.2525	N/A
CBG		0.022	0.22	0.0639/0.1935	N/A	TOTAL THC**		51.664	516.64		N/A
CBN		ND	ND	0.0448/0.1358	N/A	TOTAL CBD**		0.045	0.45		N/A
Δ <sup>8</sup> -THC		0.021	0.21	0.0315/0.0956	N/A						

\*\* TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

\*\* TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN



James W. Cox

James W. Cox  
Laboratory Director  
Jul 01, 2025

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.  
18417 Bryant St  
Northridge, CA 91325

818-797-1500  
<http://www.cctestinglabs.com>  
LIC# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240627-016  
2 of 2

## MOISTURE CONTENT: SOP-009 // JUN 30, 2025

ANALYTE	LIMIT ()	AMT (%)	PASS/FAIL
MOISTURE		11.070	N/A

## ACCREDITATIONS



TL-819

ISO17025:2017

### IAS ACCREDITED

**CANNABINOIDS BY HPLC: CCTL-PM-002, SOP-011**  
CBC, CBD, CBDA, CBDV, CBG, CBGA, CBN, DELTA-8-THC, DELTA-9-THC, THC: CBD RATIO, THCA, THCV, TOTAL CBD, TOTAL THC

**MOISTURE CONTENT: SOP-009**  
MOISTURE

\* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.



*James W. Cox*

James W. Cox  
Laboratory Director  
Jul 01, 2025

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.